

**REGIONAL DISTRICT OF OKANAGAN-SIMILKAMEEN**

**BYLAW NO. 2000.16, 2021**

---

**A Bylaw to amend the Regional District of Okanagan-Similkameen  
Subdivision Servicing Bylaw No. 2000, 2002**

---

The REGIONAL BOARD of the Regional District of Okanagan-Similkameen in open meeting assembled, ENACTS as follows:

1. This Bylaw may be cited for all purposes as the “Regional District of Okanagan-Similkameen Subdivision Servicing Amendment Bylaw No. 2000.16, 2002.”
2. The Regional District of Okanagan-Similkameen Subdivision Servicing Bylaw No. 2000, 2002, is amended by:
  - i) adding a new definition of “Approved Products List” under Section 4.0 (Definitions) to read as follows:

**“APPROVED PRODUCTS LIST”** means the product list established by the Chief Administrative Officer (CAO), or their delegate(s), from time to time, for the purposes of this Bylaw.
  - ii) adding a new definition of “Ornamental Street Light” under Section 4.0 (Definitions) to read as follows:

**“ORNAMENTAL STREET LIGHT”** means a metal freestanding pole, other than wood, with attached luminaire(s).
  - iii) adding a new Section 5.8 (Approved Products List) under Section 5.0 (Administration) to read as follows

**5.8 Approved Products List**

    - a) The Regional District Board delegates to the Chief Administrative Officer (CAO), or their delegate(s), the authority to maintain an approved products list for the purposes of this bylaw.

- iv) replacing Section 6.7 (Street Lighting) under Section 6.0 (Required Works and Services) in its entirety with the following:

**6.7 Street Lighting**

- a) Street lights should be designed, installed and otherwise meet the requirements of the authority having jurisdiction.
- b) Despite sub-section a), the use of the following for street lighting purposes is prohibited:
  - i) High Pressure Sodium (HPS) lights; and
  - ii) Ornamental Street Lights not specified on the Approved Products List.

- v) replacing Section 6.0 (Street Lighting) under Schedule “A” (Design Criteria, Specifications and Standard Drawings) in its entirety with the following:

**6.0 *deleted.***

- vi) deleting the following Standard Drawings under Schedule “A” (Design Criteria, Specifications and Standard Drawings):

- a) Drawing No. E1 (Davit Street Lights); and
- b) Drawing No. E2 (Post Top Street Lights).

- vii) deleting the column entitled “Street Lighting” under “Minimum Required Works and Services” of Table 1 (Levels of Service) under Schedule “B” (Levels of Works and Services) in its entirety.

- viii) replacing the third dot point under Section A.4 (Information to be Included on Drawings) of Appendix “A” (Acceptable Standards for Drawing Submissions) in its entirety with the following:

- underground electrical services.

- ix) replacing Section A.4.4 (Underground Wiring, Street Lighting and Gas Mains) under Section A.4 (Information to be Included on Drawings) of Appendix “A” (Acceptable Standards for Drawing Submissions) in its entirety with the following:

**A.4.4 Underground Electrical Services and Gas Mains**

**Plan**

- roadway, easement and lot property lines;
- location of underground ducting, overhead wiring, power poles, telephone poles, kiosks, service and control equipment and all related appurtenances; and

- all other existing and proposed underground and overhead utilities, including gas mains.

READ A FIRST AND SECOND TIME this 18<sup>th</sup> day of November, 2021.

PUBLIC HEARING held on this 16<sup>th</sup> day of December, 2021.

READ A THIRD TIME AND ADOPTED this \_\_\_\_\_ day of \_\_\_\_\_, 2021.

\_\_\_\_\_  
Board Chair

\_\_\_\_\_  
Corporate Officer