



REGIONAL DISTRICT of OKANAGAN-SIMILKAMEEN

Request for Proposals Bush Truck RFP # 16120220104

Dec 29, 2021

GENERAL

The Regional District of Okanagan-Similkameen (RDOS) administers seven Regional Fire Services. The purpose of this Request for Proposals (RFP) is to seek proposals from a qualified supplier to supply a **Bush Truck** for the Naramata Fire Department.

SPECIFICATIONS AND WORK

- 1. To include but not limited to items listed in RFP# 16120220104, Schedule "A".
- 2. Optional equipment bid as noted.

REQUEST FOR PROPOSAL AND SCHEDULE

- 1. Provide a proposal for a *Bush Truck* that includes (but not limited to) the specifications outlined in Schedule "A" and describe/list all components and specifications of the quoted fire truck.
- 2. Provide a proposal for items listed as options (optional).
- 3. Provide a "no later than" delivery date for the vehicle.
- 4. Provide a date for which this proposal is no longer valid.

NO OBLIGATION TO PROCEED

Although the RDOS fully intends at this time to proceed with the purchase described in the RFP the RDOS is under no obligation to proceed with the purchase. The receipt by the RDOS of any information (including submissions, ideas, plans, drawings, models or other materials communicated or exhibited by any intended proponent, or on their behalf) shall not impose any obligations on the RDOS. There is no guarantee by the RDOS, its officers, employees or agents, that the process initiated by the issuance of this RFP will continue, or that this RFP process will result in a purchase by the RDOS.

ENQUIRIES

All enquiries related to this RFP are to be directed, in writing to the person listed below. Information obtained from any other source is not official and should not be relied upon.

Jeff Luesink, Fire Fighter

Naramata Fire Department

Email – jluesink@pentictonfoundry.com

REQUEST FOR PROPOSALS

- 1. The Proposal shall be in Canadian Dollars and shall include all applicable taxes, including but not limited to custom duties, delivery charges and all other taxes on labour, services, and equipment.
- 2. Address quotations to:

Jim Zaffino, Manager of Finance

Regional District of Okanagan-Similkameen

101 Martin Street, Penticton BC

V2A 5J9

Or jzaffino@rdos.bc.ca

Envelopes or Subject lines should be clearly marked "Naramata Bush Truck Request for Proposals" and will be received up to and including 15:30 hrs (local time) on <u>January 28, 2022</u>.

The RDOS reserves the right to waive minor irregularities in or reject any or all Proposals, or accept the Proposal deemed most favorable in the interest of the RD, having regard to the price, timeline, equipment and qualifications offered.

Note: Proponents must note their compliance to the specifications in the space provided using the words "YES" or "NO". Deviations or changes must be noted and explained in detail on a separate sheet if necessary. The use of words such as "exceeds, equal to or not required" will not be acceptable in lieu of a detailed explanation.


CAB & CHASSIS SPECIFICATIONS	COMPLIANCE
Dodge Ram 5500 Tradesman	
Ford Super Duty F550 XL	
Crew Cab (Min five seats)	
Chassis Only	
Diesel Engine (Specify)	
Diesel Exhaust Brake	
Automatic Transmission (Specify)	
Drive Train – 4 x 4 (DRW)	
Transfer Case – Electronic Shift-On-The- Fly or Manual - Specify	
Skid Plates – Transfer Case	
Cab Colour – Red (or White) Specify Paint Code	
Steel Wheels Painted (Specify Colour)	
All Season Tires – Mud & Snow (Specify)	
Trailer Tow Mirrors – Power Adjust Glass	
Vinyl Floor Covering - Black	
Vinyl Seat Covering - Grey	
Trailer Brake Controller	
Air Conditioning	

110 Volt / 400-Watt AC Outlet – Cab	
USB Charging Outlet(s) – Cab	
Tow Hooks (x2) on the Front	
Engine Block Heater	
Dual Heavy Duty Alternators	
Full Size Spare	
Hydraulic Jack	
Backup Alarm	
High Idle Switch	
Power Windows	
Power Door Locks	
Specify Engine HP	
Specify Engine Lb-Ft of Torque	
Specify Rear Axle Ratio	
Specify GVWR (Min 19,000 Lbs)	
Specify Payload Capacity (Min 10,300 Lbs)	
Front Axle Rating (Min 7,000 Lbs)	
Rear Axle Rating (Min 13,500 Lbs)	
Provide – Window Sticker / Specification sheet on proposed vehicle if available.	
State delivery lead time	
Used Truck - Optional	
2018 or newer, less than 30,000km	

Truck Deck - Optional	
Approximately 96" Wide x 110" Long, Aluminum construction.	
The deck will be attached to the chassis rails with a minimum of four (4) heavy duty "U" bolts (shipped loose). The deck shall be separated from the chassis by Teflon. Attachment of the deck to allow for distortion and off-road operational conditions.	
Rear vertical skirt to include Signal, brake, reverse lights, D.O.T., license plate. (See also option for trailer hitch) Also to have two folding steps.	
Transverse compartment across the front of the deck. Approx. 16" long x 30" high x 96" wide. Lower transverse compartment to have a clear 12" x 12" ID to allow for hand tools and to have one horizontally hinged door on each side, swinging down. The second stacked transverse compartment is to have two removeable hose trays (Side by side) with a horizontally hinged door on each side, swinging upwards.	
An integral headache rack will extend approx. 2" above the truck cab (Approximate rack height of 42"). Emergency lights mounted on top of the headache rack.	
Divers Side Compartment, aluminum construction. 60" long x 30" high x 20" deep. Door to hinge upwards. Floor covered with black plastic tiles. Single locking handle. One adjustable shelf.	
Passenger Side Compartment, aluminum construction, 60" long x 30" high x 20" deep. Door to hinge upwards. Floor covered with black plastic tiles. Single locking handle. One adjustable shelf.	
Upper Storage area: The three compartments will be topped with a "U" shaped suction hose tray that will accommodate a 10ft (+) suction hose. Height of the tray to be 6".	

The deck will accommodate a 54" wide x 60" long x 36" high customer supplied water tank. Positioned between the 60" long side compartments.	
Aluminum Wheel Chocks c/w storage	
Emergency Lighting Package - Optional	
Emergency Lighting Package	
Minimal number of lights, while still meeting the NFPA 1901 Exterior warning lighting requirements for a "small vehicle". The Light Bar is to be mounted on the aluminum deck headache rack.	
Radio wiring (Radio supplied by Naramata Fire)	
Custom Aluminum cab console between the front two seats, built to suit the radio & light controller, with a 120-volt outlet and USB charging outlet(s)	
LED Scene lighting (x2 telescopic located on the front of the deck, x2 mounted on the backside of the side compartments.	
Trailer Hitch - Optional	
Trailer Hitch Receiver (Specify Size)	
To tow up to 6,000 Lb Trailer	
7-Way Trailer Receptacle	
Hose Reel - Optional	
Electric rewind hose reel with 1" x 150ft rubber booster hose. Roller guides installed. Customer to mount.	

Image showing the general layout of the three storage boxes and suction hose tray.



2022 Naramata Fire Rescue – "Bush Truck" – Pricing Summary

Cab & Chassis				
4x4 Crew Cab, (DRW), Chassis, as per spe	ecifications in Schedule "A"			
FCA Naramata, BC, or within 100km, speci	fy location.			
	Base Price:			
	Other Charges:			
	BC Tax:			
	Federal Tax:			
	Total Cost:			
S	State Delivery Lead Time: _			
Options				
Used Truck, FCA NARAMATA, BC or with location.	in 100km, specify			
	Base Price:			
	Other Charges:			
	BC Tax:			
	Federal Tax:			
	Total Cost:			
S	State Delivery Lead Time: _			
Aluminum Truck Deck, FCA Naramata, BC or within 100km, Specify location:				
	Option Price:			
S	State Delivery Lead Time:			
Emergency Lighting Package, Installed:				
Linergency Lighting Package, instanct.	Option Price:			
S	State Delivery Lead Time:			
	_			
Trailer Hitch, Installed:				
, in the second	Option Price:			
S	State Delivery Lead Time:			
Hose Reel, (Shipped Loose), FCA Naramata, BC				
	Option Price: _			
S	State Delivery Lead Time:			

Note: Vendor may choose to quote all or none of the options. Vendor may also choose to quote just the options.